



**Indiana Academic Standards for Mathematics – Finite Math
Adopted April 2014 – Standards Resource Guide Document**

This Teacher Resource Guide has been developed to provide supporting materials to help educators successfully implement the Indiana Academic Standards for Finite Math Mathematics – Adopted April 2014. These resources are provided to help you in your work to ensure all students meet the rigorous learning expectations set by the Academic Standards. Use of these resources is optional – teachers should decide which resource will work best in their school for their

This resource document is a living document and will be frequently updated.

Please send any suggested links and report broken links to:

Bill Reed

Secondary Math Specialist - Indiana Department of Education

wreed@doe.in.gov - 317-232-9114

The Indiana Department of Education would like to thank

Jeremy Eltz for his contributions to this document.

The examples in this document are for illustrative purposes only, to promote a base of clarity and common understanding. Each example illustrates a standard but please note that examples are not intended to limit interpretation or classroom applications of the standards.

The links compiled and posted in this Resource Guide have been provided by the Department of Education and other sources. The DOE has not attempted to evaluate any posted materials. They are offered as samples for your reference only and are not intended to represent the best or only approach to any particular issue. The DOE does not control or guarantee the accuracy, relevance, timeliness, or completeness of information contained on a linked website; does not endorse the views expressed or services offered by the sponsor of a linked website; and cannot authorize the use of copyrighted materials contained in linked websites. Users must request such authorization from the sponsor of the linked website.

GOOD WEBSITES FOR MATHEMATICS:

<http://nlvm.usu.edu/en/nav/vlibrary.html>

<http://www.math.hope.edu/swanson/methods/applets.html>

<http://learnzillion.com>

<http://illuminations.nctm.org>

<https://teacher.desmos.com>

<http://illustrativemathematics.org>

<http://www.insidemathematics.org>

<https://www.khanacademy.org/>

<https://www.teachingchannel.org/>

<http://map.mathshell.org/materials/index.php>

<https://www.istemnetwork.org/index.cfm>

<http://www.azed.gov/azccrs/mathstandards/>



**Indiana Academic Standards for Mathematics – Finite Math
Adopted April 2014 – Standards Resource Guide Document**

| | Indiana Academic Standard for Mathematics Finite Math – Adopted April 2014 | Highlighted Vocabulary Words from the Standard Defined | Specific Finite Math Example for the Standard | Specific Finite Math Electronic Resource for the Standard |
|-----------------|--|--|--|---|
| Sets | | | | |
| MA.FM.S.1: | FM.S.1: Know and use the concepts of sets, elements, and subsets . | Set -a collection of distinct objects Element -the distinct objects in a set Subset -a set contained in another set | Thus for example $\{1, 2, 3\} = \{3, 2, 1\}$, that is the order of elements does not matter, and $\{1, 2, 3\} = \{3, 2, 1, 1\}$, that is duplications do not make any difference for sets. For example $\{1, 2\} \subseteq \{3, 2, 1\}$. Also $\{1, 2\} \subset \{3, 2, 1\}$. | http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=7&ved=0CEgQFjAG&url=http%3A%2F%2Fwww.math.fsu.edu%2F~wooland%2Fppts%2FP1M1.pps&ei=mMydU_WbOo2TyATng4D4Cw&usq=AFQjCNFMHxkt0WqHtdjBPGIay_V7Rw0Qw&bvm=bv.68911936.d.aWw |
| MA.FM.S.2: | FM.S.2: Perform operations on sets (union, intersection, complement, cross product) and illustrate using Venn diagrams. | Union -set of all distinct elements in the collection Intersection -the set of elements common to different sets Complement - elements not in the set of question Cross Product - each element of one set is matched with the elements of another set | Set F = {1, 2, 3, 4, 6} Set H = {4, 5, 6, 8, 9} Union - $F \cup H = \{1, 2, 3, 4, 5, 6, 8, 9\}$ $\text{Ιντερσεχτιον} = F \cap H = \{4, 6\}$ | http://www.algebration.com/wp-content/uploads/2013/02/FINAL-01-Sets-and-Venn-Diagrams-Packet-v3-copy.pdf |
| Matrices | | | | |
| MA.FM.MA.1: | FM.MA.1: Add, subtract, and multiply matrices of appropriate dimensions (i.e. up to 3×3 matrices). Multiply matrices by scalars . Calculate row and column sums for matrix equations. | Matrices - Plural of matrix, a rectangular array of numbers, symbols, or expressions Scalar - a real number in linear algebra | $A = \begin{bmatrix} -1 & 3 & -2 & 4 \\ 0 & 4 & 3 & -1 \\ -12 & 13 & -5 & 7 \end{bmatrix}$ $B = \begin{bmatrix} -5 & 13 & 22 & -24 \\ 10 & 4 & -3 & -11 \\ -2 & 3 & -15 & 7 \end{bmatrix}$ $A - B = \begin{bmatrix} 4 & -10 & -24 & 28 \\ -10 & 0 & 6 & 10 \\ -10 & 10 & 10 & 0 \end{bmatrix}$ | http://www.mathcentre.ac.uk/resources/uploaded/sigma-matrices3-2009-1.pdf http://www.virtualnerd.com/common-core/hsn-number-quantity/HSN-VM-vector-matrix/C/8 |
| MA.FM.MA.2: | FM.MA.2: Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. | Zero Matrix - the null matrix, all entries being zero Identity Matrix - the unit matrix of size n | | https://www.khanacademy.org/math/algebra2/algebra-matrices/zero-identity-matrix-tutorial/e/zero-and-identity-matrices |
| MA.FM.MA.3: | FM.MA.3: Understand the determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse . | Determinant -a value associated with a square matrix. It can be computed from the entries of the matrix by a specific arithmetic expression Multiplicative Inverse -reciprocal for a number x, denoted by $1/x$ or x^{-1} , is a number which when multiplied by x yields the multiplicative identity, 1. | The determinant of a 2×2 matrix is found much like a pivot operation. It is the product of the elements on the main diagonal minus the product of the elements off the main diagonal. $\begin{vmatrix} a & b \\ c & d \end{vmatrix} = ad - bc$ | http://www.mathamazement.com/Lessons/Pre-Calculus/08_Matrices-and-Determinants/determinants-and-inverses.html |
| MA.FM.MA.4: | FM.MA.4: Solve problems represented by matrices using row-reduction techniques and properties of matrix multiplication, including identity and inverse matrices. | | | http://www.math.hmc.edu/calculus/tutorials/linearsystems/ |




Indiana Academic Standards for Mathematics – Finite Math
 Adopted April 2014 – Standards Resource Guide Document

| | Indiana Academic Standard for Mathematics Finite Math – Adopted April 2014 | Highlighted Vocabulary Words from the Standard Defined | Specific Finite Math Example for the Standard | Specific Finite Math Electronic Resource for the Standard |
|------------|--|---|--|--|
| MA.FM.N.2: | FM.N.2: Optimize networks in different ways and in different contexts by finding minimal spanning trees , shortest paths, and Hamiltonian paths including real-world problems. | Minimal Spanning Tree - Given a connected, undirected graph, a spanning tree of that graph is a subgraph that is a tree and connects all the vertices together. Hamiltonian Path - a path in an undirected or directed graph that visits each vertex exactly once. | | http://cgi.di.uoa.gr/~vassilis/co/L4_HamiltonianPath_BB.pdf https://www.mpp.mpg.de/~caldwell/ss10/Lecture9.pdf |
| MA.FM.N.3: | FM.N.3: Use critical-path analysis in the context of scheduling problems and interpret the results. | critical-path analysis -algorithm for scheduling a set of project activities | | http://www.stanford.edu/class/cee320/CEE320B/CPM.pdf |
| MA.FM.N.4: | FM.N.4: Construct and interpret directed and undirected graphs , decision trees, networks, and flow charts that model real-world contexts and problems. | Directed Graph - a graph, or set of nodes connected by edges, where the edges have a direction associated with them Undirected Graph - graph in which edges have no orientation | <p>Example 3. Consider a VBS consisting of variables X_1, \dots, X_{10}, and conditionals α_1 for X_1 given \emptyset, α_2 for $\{X_2, X_3\}$ given X_1, α_3 for X_4 given X_2, α_4 for $\{X_5, X_6, X_7\}$ given X_2, α_5 for X_8 given X_3, α_6 for X_9 given X_5, and α_7 for X_{10} given $\{X_6, X_7\}$. Figure 3 shows the VN for this VBS. If τ denotes $\alpha_1 \otimes \dots \otimes \alpha_7$, then $\alpha_1 = \tau(X_1)$, $\alpha_2 = \tau(X_2, X_3 X_1)$, $\alpha_3 = \tau(X_4 X_2)$, $\alpha_4 = \tau(X_5, X_6, X_7 X_2)$, $\alpha_5 = \tau(X_8 X_3)$, $\alpha_6 = \tau(X_9 X_5)$, $\alpha_7 = \tau(X_{10} X_6, X_7)$.</p> | http://www.cc.gatech.edu/~agray/lecture12.pdf http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=6&ved=0CEkQFjAF&url=http%3A%2F%2Fenic.cs.gatech.edu%2Fandrew%2Ffgcm1-11%2FLecture6.ppt&ei=HeWdU_yiNIOqyATdkiK4BQ&usq=AFQjCNFEm2IbHjn5DKd4ATwPldWV5VHLXQ&bv=68911936.d.Ww |
| MA.FM.N.5: | FM.N.5: Use graph-coloring techniques to solve problems. | | <p>Use a map of the United States with all fifty states. Give students 4 colors to color the map so that no two states touch with the same color shading them in</p> | http://www.cs.bme.hu/~dmarx/papers/marx-pp.pdf |



Indiana Academic Standards for Mathematics – Finite Math
Adopted April 2014 – Standards Resource Guide Document

| | Indiana Academic Standard for Mathematics Finite Math – Adopted April 2014 | Highlighted Vocabulary Words from the Standard Defined | Specific Finite Math Example for the Standard | Specific Finite Math Electronic Resource for the Standard |
|---------------------|--|---|---|--|
| MA.FM.N.6: | FM.N.6: Construct vertex-edge graph models involving relationships among a finite number of elements. Describe a vertex-edge graph using an adjacency matrix . Use vertex-edge graph models to solve problems in a variety of real-world settings. | Vertex Edge Graph -diagram consisting of a set of points (called vertices) along with segments or arcs (called edges) joining some or all of the points Adjacency matrix- a means of representing which vertices of a graph are adjacent to which other vertices. |  <p>List two paths from Charles' house (C) to Ellen's house (E)?</p> | https://www.wmich.edu/cmpm/parentresource2/overview-summary/c1u4.html http://wsfcs.k12.nc.us/cms/lib/NC01001395/Centricity/Domain/1707/INTERATED%20unit04.pdf |
| Optimization | | | | |
| MA.FM.O.1: | FM.O.1: Use bin-packing techniques to solve problems of optimizing resource usage. | Bin-packing -objects of different volumes must be packed into a finite number of bins or containers each of volume V in a way that minimizes the number of bins used | | http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=6&ved=0CEwQJfAF&url=http%3A%2F%2Fwww.researchgate.net%2Fpublication%2F222405788 Recent advances on two-dimensional bin packing problems%2Ffile%2F79e41500a709cc004.pdf&ei=G-6dU8bvEMggyAS87YCIDQ&usq=AFQjCNFPVJh_z5kGwoWG2Q1awFKrZUEQ&bvm=bv.68911936,d.aWw http://www.or.deis.unibo.it/kp/Chapter8.pdf |
| MA.FM.O.2: | FM.O.2: Use geometric and algebraic techniques to solve optimization problems with and without technology. | Optimization -is the selection of a best element (with regard to some criteria) from some set of available alternatives | Enclose a field with a rectangular fence. Use 500 ft of fencing material and a building is on one side of the field and so won't need any fencing. Determine the dimensions of the field that will enclose the largest area. Maximize: $A = xy$ Constraint: $x + 2y = 500$ | https://www.math.ucdavis.edu/~kouba/CalcOneDIRECTORY/maxmindirectory/MaxMin.html https://cims.nyu.edu/~kiry/Calculus/Section_4.5--Optimization%20Problems/Optimization_Problems.pdf |
| MA.FM.O.3: | FM.O.3: Use the Simplex method to solve optimization problems with and without technology. | Simplex method - Dantzig's simplex algorithm is a popular algorithm for linear programming | | http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=0CC0QFJAA&url=http%3A%2F%2Fwww-lehre.inf.uos.de%2F~sbitzer%2Fcp%2Fthe%2520simplex%2520algorithm.ppt&ei=I_GdU9ykKISZyATOxoH4DQ&usq=AFQjCNFTWUgJG9NNhdExhHPsUF01vcd-g&bvm=bv.68911936,d.aWw |



Indiana Academic Standards for Mathematics – Finite Math
Adopted April 2014 – Standards Resource Guide Document

| | Indiana Academic Standard for Mathematics Finite Math – Adopted April 2014 | Highlighted Vocabulary Words from the Standard Defined | Specific Finite Math Example for the Standard | Specific Finite Math Electronic Resource for the Standard |
|--------------------|---|--|---|---|
| Probability | | | | |
| MA.FM.P.1: | FM.P.1: Use Markov chains to solve problems with and without technology. | Markov chains - mathematical system that undergoes transitions from one state to another on a state space. It is a random process usually characterized as memoryless: the next state depends only on the current state and not on the sequence of events that preceded it | http://www.sosmath.com/matrix/markov/markov.html | http://www.dartmouth.edu/~chance/teaching_aids/books_articles/probability_book/Chapter11.pdf |
| MA.FM.P.2: | FM.P.2: Understand and use the addition rule to calculate probabilities for mutually exclusive and nonmutually exclusive events. | Addition rule -When two events, A and B, are mutually exclusive, the probability that A or B will occur is the sum of the probability of each event. $P(A \text{ or } B) = P(A) + P(B)$ Mutually Exclusive -2 events that cannot occur at the same time | On New Year's Eve, the probability of a person having a car accident is 0.09. The probability of a person driving while intoxicated is 0.32 and probability of a person having a car accident while intoxicated is 0.15. What is the probability of a person driving while intoxicated or having a car accident? Probabilities: $P(\text{intoxicated or accident}) = P(\text{intoxicated}) + P(\text{accident}) - P(\text{intoxicated and accident})$ $= 0.32 + 0.09 - 0.15 = 0.26$ | http://www.mathgoodies.com/lessons/vol6/addition_rules.html http://statistics.about.com/od/Formulas/a/Addition-Rules-In-Probability.htm |
| MA.FM.P.3: | FM.P.3: Understand and use the multiplication rule to calculate probabilities for independent and dependent events. Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent. | Multiplication rule - a method for finding the probability that both of two events occur | https://tcojects.tridenttech.edu/academics/spring2009/MAT/probabilities/player.html | http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=6&ved=0CE8QFjAF&url=http%3A%2F%2Ftrojan.troy.edu%2Fstudentsupportservices%2Fassets%2Fdocuments%2Fpresentations%2Fmath_science%2FMath_2200_Section_4_4.pptx&ei=8PSdU9XzMY6uyATP24DIDw&usq=AFQjCNGyt4y1DaXsS0Yd4p4XTPgzUgJZMw&bvm=bv.68911936,d.aWw |
| MA.FM.P.4: | FM.P.4: Understand the multiplication counting principle, permutations, and combinations ; use them to solve real-world problems. Use simulations with and without technology to solve counting and probability problems. | Multiplication counting principle : If there are a ways for one activity to occur, and b ways for a second activity to occur, then there are $a \cdot b$ ways for both to occur. Permutations - rearranging, members of a set into a particular sequence or order Combinations - a way of selecting members from a grouping, such that the order of selection does not matter | | http://dmc122011.delmar.edu/math/pjohnson/Webpage/businessmath/notes/9.2.pdf http://www.mhhe.com/math/precalc/barnettpc5/graphics/barnett05pcfg/ch10/others/bpc5_ch10-05.pdf |



Indiana Academic Standards for Mathematics – Finite Math
 Adopted April 2014 – Standards Resource Guide Document

| | Indiana Academic Standard for Mathematics Finite Math – Adopted April 2014 | Highlighted Vocabulary Words from the Standard Defined | Specific Finite Math Example for the Standard | Specific Finite Math Electronic Resource for the Standard | | | | | | | | | | | | |
|-----------------|--|--|---|--|-------------|---|------|---|------|---|------|--|------|---|------|---|
| MA.FM.P.5: | FM.P.5: Calculate the probabilities of complementary events. | Complementary events -those events where the probability of one event precludes the happening of the other event | The probability of getting a white ball from a bag of balls is $\frac{1}{4}$ $P(\text{ball is not white}) = 1 - \frac{1}{4} = \frac{3}{4}$ | http://www.mathsisfun.com/data/probability-complement.html http://www.regentsprep.org/regents/math/algebra/apr6/comp.html | | | | | | | | | | | | |
| MA.FM.P.6: | FM.P.6: Calculate the expected value of a random variable; interpret it as the mean of the probability distribution . | Probability distribution - assigns a probability to each measurable subset of the possible outcomes of a random experiment, survey, or procedure of statistical inference | Find the mean of the following probability distribution? <table border="0"> <tr><td>X</td><td>P(X)</td></tr> <tr><td>1</td><td>0.20</td></tr> <tr><td>2</td><td>0.10</td></tr> <tr><td>3</td><td>0.35</td></tr> <tr><td>4</td><td>0.05</td></tr> <tr><td>5</td><td>0.30</td></tr> </table> Mean of a discrete probability distribution (as this one) is given by $\text{Sum } x \cdot P(x) = 1 \cdot 0.2 + 2 \cdot 0.1 + 3 \cdot 0.35 + 4 \cdot 0.05 + 5 \cdot 0.3 = 3.15$ | X | P(X) | 1 | 0.20 | 2 | 0.10 | 3 | 0.35 | 4 | 0.05 | 5 | 0.30 | http://www.statisticshowto.com/how-to-find-the-mean-of-the-probability-distribution-or-binomial-distribution/ |
| X | P(X) | | | | | | | | | | | | | | | |
| 1 | 0.20 | | | | | | | | | | | | | | | |
| 2 | 0.10 | | | | | | | | | | | | | | | |
| 3 | 0.35 | | | | | | | | | | | | | | | |
| 4 | 0.05 | | | | | | | | | | | | | | | |
| 5 | 0.30 | | | | | | | | | | | | | | | |
| MA.FM.P.7: | FM.P.7: Analyze decisions and strategies using probability concepts. Analyze probabilities to interpret odds and risk of events. | | | http://www.vaoutcomes.org/downloads/probability_and_odds_ratio.pdf http://handbook.cochrane.org/chapter_9/9_2_2_2_measures_of_relative_effect_the_risk_ratio_and_odds.htm | | | | | | | | | | | | |
| MA.FM.P.8: | FM.P.8: Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events. | | http://sites.stat.psu.edu/~jiali/course/stat416/notes/chap1.pdf | http://www.math.uiuc.edu/~kkirkpat/SampleSpace.pdf | | | | | | | | | | | | |
| MA.FM.P.9: | FM.P.9: Develop a probability distribution for a random variable defined for a sample space in which theoretical probabilities can be calculated; find the expected value. | | A probability distribution is a table or an equation that links each outcome of a statistical experiment with its probability of occurrence. Consider the coin flip experiment described above. The table below, which associates each outcome with its probability, is an example of a probability distribution. <table border="0"> <tr><td>Number of heads</td><td>Probability</td></tr> <tr><td>0</td><td>0.25</td></tr> <tr><td>1</td><td>0.50</td></tr> <tr><td>2</td><td>0.25</td></tr> </table> | Number of heads | Probability | 0 | 0.25 | 1 | 0.50 | 2 | 0.25 | http://www.stats.gla.ac.uk/steps/glossary/probability_distributions.html https://www.khanacademy.org/math/probability/random-variables-topic/random_variables_prob_dist/v/random-variables | | | | |
| Number of heads | Probability | | | | | | | | | | | | | | | |
| 0 | 0.25 | | | | | | | | | | | | | | | |
| 1 | 0.50 | | | | | | | | | | | | | | | |
| 2 | 0.25 | | | | | | | | | | | | | | | |
| MA.FM.P.10: | FM.P.10: Use the relative frequency of a specified outcome of an event to estimate the probability of the outcome and apply the law of large numbers in simple examples. | Relative Frequency -the absolute frequency normalized by the total number of events Law of large numbers -a theorem that describes the result of performing the same experiment a large number of times | https://www.khanacademy.org/math/probability/random-variables-topic/expected-value/v/law-of-large-numbers | http://www.math.uah.edu/stat/sample/LLN.html | | | | | | | | | | | | |