



Indiana Academic Standards for Mathematics – Trigonometry  
Adopted April 2014 – Standards Resource Guide Document

This Teacher Resource Guide has been developed to provide supporting materials to help educators successfully implement the Indiana Academic Standards for Trigonometry Mathematics – Adopted April 2014. These resources are provided to help you in your work to ensure all students meet the rigorous learning expectations set by the Academic Standards. Use of these resources is optional – teachers should decide which resource will work best in their school for their

The Indiana Department of Education would like to thank Jan McNulty for her contributions to this document.

The examples in this document are for illustrative purposes only, to promote a base of clarity and common understanding. Each example illustrates a standard but please note that examples are not intended to limit interpretation or classroom applications of the standards.

The links compiled and posted in this Resource Guide have been provided by the Department of Education and other sources. The DOE has not attempted to evaluate any posted materials. They are offered as samples for your reference only and are not intended to represent the best or only approach to any particular issue. The DOE does not control or guarantee the accuracy, relevance, timeliness, or completeness of information contained on a linked website; does not endorse the views expressed or services offered by the sponsor of a linked website; and cannot authorize the use of copyrighted materials contained in linked websites. Users must request such authorization from the sponsor of the linked website.

**GOOD WEBSITES FOR MATHEMATICS:**

<http://nlvm.usu.edu/en/nav/vlibrary.html>

<http://www.math.hope.edu/swanson/methods/applets.html>

<http://learnzillion.com>

<http://illuminations.nctm.org>

<https://teacher.desmos.com>

<http://illustrativemathematics.org>

<http://www.insidemathematics.org>

<https://www.khanacademy.org/>


<https://www.teachingchannel.org/>

<http://map.mathshell.org/materials/index.php>


<https://www.istemnetwork.org/index.cfm>

<http://www.azed.gov/azccrs/mathstandards/>





Indiana Academic Standards for Mathematics – Trigonometry  
Adopted April 2014 – Standards Resource Guide Document

	Indiana Academic Standard for Mathematics Trigonometry – Adopted April 2014	Highlighted Vocabulary Words from the Standard Defined	Specific Trigonometry Example for the Standard	Specific Trigonometry Electronic Resource for the Standard
<b>Conics</b>				
MA.TR.CO.1:	TR.CO.1: Determine how the graph of a parabola changes if a, b and c changes in the equation $y = a(x - b)^2 + c$ . Find an equation for a parabola when given sufficient information.		Write the equation for the given parabola. 	<a href="http://www.ghc.edu/lc/Handouts/Math/parabolic%20graph.pdf">http://www.ghc.edu/lc/Handouts/Math/parabolic%20graph.pdf</a>
MA.TR.CO.2:	TR.CO.2: Derive the equation of a parabola given a focus and directrix.	Define parabola as the set of all points that are the same distance from a fixed point (focus) as they are from a fixed line (directrix).	Write the equation of a parabola whose focus is at (3, -2) and whose directrix is the equation $x = -1$	<a href="http://hotmath.com/hotmath_help/topics/finding-the-equation-of-a-parabola-given-focus-and-directrix.html">http://hotmath.com/hotmath_help/topics/finding-the-equation-of-a-parabola-given-focus-and-directrix.html</a>
MA.TR.CO.3:	TR.CO.3: Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation.	Define a circle as the set of all points (x, y) that are the same distance from a fixed point (center, (h, k))	Write the equation of a circle whose center is at (2, 4) with a radius of 3.	<a href="https://www.khanacademy.org/math/algebra2/conics_precalc/circles-tutorial-precalc/v/radius-and-center-for-a-circle-equation-in-standard-form">https://www.khanacademy.org/math/algebra2/conics_precalc/circles-tutorial-precalc/v/radius-and-center-for-a-circle-equation-in-standard-form</a>
MA.TR.CO.4:	TR.CO.4: Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant.		Write the equation of an ellipse given the foci coordinates are (1,5) and (1, -1) and the length of the major axis is 20	<a href="http://www.youtube.com/watch?v=V5dBFw0Y0pE">http://www.youtube.com/watch?v=V5dBFw0Y0pE</a> <a href="http://www.vitutor.com/geometry/conics/ellipse_equation.html">http://www.vitutor.com/geometry/conics/ellipse_equation.html</a>
MA.TR.CO.5:	TR.CO.5: Graph conic sections. Identify and describe features like center, vertex or vertices, focus or foci, directrix, axis of symmetry, major axis, minor axis, and eccentricity.		Graph the <u>hyperbola</u> , identify the vertices, foci, <u>Asymptotes and eccentricity</u> . $\frac{(y+1)^2}{16} - \frac{(x+5)^2}{9} = 1$	<a href="http://www.math.tamu.edu/~baurispa/math150/150ch10_1-3.pdf">http://www.math.tamu.edu/~baurispa/math150/150ch10_1-3.pdf</a> <a href="http://www.algebra.com/algebra/homework/Quadratic-relations-and-conic-sections/faq?hide_answers=1&amp;beginning=4500">http://www.algebra.com/algebra/homework/Quadratic-relations-and-conic-sections/faq?hide_answers=1&amp;beginning=4500</a>
MA.TR.CO.6:	TR.CO.6: Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone. Use dissection arguments, Cavalieri's principle, and informal limit arguments.			<a href="https://www.illustrativemathematics.org/HSG-GMD">https://www.illustrativemathematics.org/HSG-GMD</a>


Indiana Academic Standards for Mathematics – Trigonometry  
Adopted April 2014 – Standards Resource Guide Document

	Indiana Academic Standard for Mathematics Trigonometry – Adopted April 2014	Highlighted Vocabulary Words from the Standard Defined	Specific Trigonometry Example for the Standard	Specific Trigonometry Electronic Resource for the Standard
<b>Unit Circle</b>				
MA.TR.UC.1:	TR.UC.1: Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.		Use a paper plate as a model of the unit circle, locate the origin(center) and draw x and y axis through the center. Label the points (1, 0) (0,1) (-1, 0) and (0,-1) and corresponding degree measures of 0, 90, 180, 360. Then have students label the corresponding measures of the arc lengths associated with each angle. Discuss the benefits of having an angle defined as a measure of length. Find the radian measure of the angle 210 degrees.	<a href="https://mathbitsnotebook.com/Geometry/Circles/CRArcLengthRadian.html">https://mathbitsnotebook.com/Geometry/Circles/CRArcLengthRadian.html</a> <a href="https://www.khanacademy.org/math/geometry/hs-geo-circles/hs-geo-arc-length-rad/v/arc-length-from-angle-measure">https://www.khanacademy.org/math/geometry/hs-geo-circles/hs-geo-arc-length-rad/v/arc-length-from-angle-measure</a>
MA.TR.UC.2:	TR.UC.2: Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.		Add more details to the paper plate such as coordinates of each of the 30's, 45's and 60's families noting how the signs change as you move into other quadrants. Also note the relationship of cos, sin to x and y Find the $\cos(4\pi/3)$	<a href="https://learnzillion.com/lesson_plans/5413-find-values-of-trigonometric-functions-using-a-unit-circle">https://learnzillion.com/lesson_plans/5413-find-values-of-trigonometric-functions-using-a-unit-circle</a> <a href="https://www.khanacademy.org/math/algebra2/trig-functions/trig-values-special-angles-alg2/v/solving-triangle-unit-circle">https://www.khanacademy.org/math/algebra2/trig-functions/trig-values-special-angles-alg2/v/solving-triangle-unit-circle</a>
MA.TR.UC.3:	TR.UC.3: Use the unit circle to explain symmetry (odd and even) and periodicity of trigonometric functions.	even: for every (x, y) there exists (-x, y) odd: for every (x, y) there exists (-x, -y) periodicity: the cycle repeats itself with each rotation around the circle.	Sin (20) = a, find sin (-20) , sin 380 	<a href="http://hotmath.com/help/gt/generalalg2/section_11_2.html">http://hotmath.com/help/gt/generalalg2/section_11_2.html</a> <a href="http://www.shmoop.com/common-core-standards/ccss-hs-f-tf-4.html">http://www.shmoop.com/common-core-standards/ccss-hs-f-tf-4.html</a>
<b>Geometry</b>				
MA.TR.G.1:	TR.G.1: Solve real-world problems with and without technology that can be modeled using right triangles, including problems that can be modeled using trigonometric ratios. Interpret the solutions and determine whether the solutions are reasonable.		Textbooks should be rich with problems involving Right triangle trig. Angles of elevation, angles of Depression, surveying problems, line of sight. The angle of elevation to the top of a building is 35 degrees from a distance of 200 ft. Find the height of the building.	<a href="https://www.khanacademy.org/math/trigonometry/trigonometry-right-triangles/modeling-with-right-triangles/v/angle-to-aim-to-get-alien">https://www.khanacademy.org/math/trigonometry/trigonometry-right-triangles/modeling-with-right-triangles/v/angle-to-aim-to-get-alien</a>
MA.TR.G.2:	TR.G.2: Explain and use the relationship between the sine and cosine of complementary angles.		Given the $\sin 23=0.3907$ . Find $\cos 67$ Given: $\cos x = 4/5$ , find $\sin(\pi/2 - x)$ Compare the graphs of $y=\sin x$ to $y= \cos(\pi/2 - x)$	<a href="https://www.illustrativemathematics.org/illustrations/1443">https://www.illustrativemathematics.org/illustrations/1443</a>


**Indiana Academic Standards for Mathematics – Trigonometry  
Adopted April 2014 – Standards Resource Guide Document**

	Indiana Academic Standard for Mathematics Trigonometry – Adopted April 2014	Highlighted Vocabulary Words from the Standard Defined	Specific Trigonometry Example for the Standard	Specific Trigonometry Electronic Resource for the Standard
MA.TR.G.3:	TR.G.3: Use special triangles to determine the values of sine, cosine, and tangent for $\pi/3$ , $\pi/4$ , and $\pi/6$ . Apply special right triangles to the unit circle and use them to express the values of sine, cosine, and tangent for $x$ , $\pi + x$ , and $2\pi - x$ in terms of their values for $x$ , where $x$ is any real number.		See discussion on the paper plate in standard TR.UC.2 Have students create a chart with all of the special angles and all of the trig ratios. After filling in first quadrant angles, have students Use information from paper plates to Fill in the rest of the chart. Find the $\tan(11\pi/6)$	<a href="http://www.youtube.com/playlist?list=PL32D15524DE70A7F1">http://www.youtube.com/playlist?list=PL32D15524DE70A7F1</a>
MA.TR.G.4:	TR.G.4: Prove the Laws of Sines and Cosines and use them to solve problems.	 $\sin A = \frac{h}{c} \quad \sin C = \frac{h}{a}$ $h = c \sin A \quad h = a \sin C$ $c \sin A = a \sin C$ $\frac{c \sin A}{a} = \frac{a \sin C}{c}$ $\frac{\sin A}{a} = \frac{\sin C}{c}$ <p>With a different orientation of the triangle, one could also tie in <math>\frac{\sin B}{b}</math></p> <p><b>So the Law of Sines is:</b> <math>\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}</math></p>	<p>LAW OF COSINES</p> <p>Triangle <math>ABC</math> at the right does not contain a right angle. A perpendicular is dropped from vertex <math>B</math>. It can now be observed that:</p>  $\sin \angle A = \frac{h}{c} \Rightarrow h = c \sin \angle A$ $\cos \angle A = \frac{r}{c} \Rightarrow r = c \cos \angle A$	<a href="http://www.clarku.edu/~djoyce/trig/laws.html">http://www.clarku.edu/~djoyce/trig/laws.html</a>
MA.TR.G.5:	TR.G.5: Understand and apply the Laws of Sines and Cosines to solve real-world and other mathematical problems involving right and non-right triangles.	<p>Using the Pythagorean Theorem in triangle <math>CBD</math>, we have...</p> <p>Substituting for <math>h</math> and <math>r</math> we have:</p> $a^2 = (c \sin A)^2 + (b - c \cos A)^2$ $a^2 = c^2 \sin^2 A + b^2 - 2bc \cos A + c^2 \cos^2 A$ $a^2 = c^2 (\sin^2 A + \cos^2 A) + b^2 - 2bc \cos A$ $a^2 = c^2 (1) + b^2 - 2bc \cos A$ $a^2 = c^2 + b^2 - 2bc \cos A$	<p>• A hot air balloon is hovering over Conner Prairie. Person A views the balloon at an angle of elevation of <math>25^\circ</math> while person B views the balloon at an angle of elevation of <math>40^\circ</math>. If A and B are 4000 feet apart, find the height of the balloon.</p>  <p>• A hot air balloon is hovering over Conner Prairie. Person A views the balloon at an angle of elevation of <math>25^\circ</math> while person B views the balloon at an angle of elevation of <math>40^\circ</math>. If A and B are 4000 feet apart, find the height of the ball---</p> 	<a href="https://gateway.asurams.edu/affordable-learning-program/15-LawOfSineCosine/15-LawOfSineCosine.pdf">https://gateway.asurams.edu/affordable-learning-program/15-LawOfSineCosine/15-LawOfSineCosine.pdf</a>  <a href="https://www.saylor.org/site/wp-content/uploads/2011/11/MA003-4.1.pdf">https://www.saylor.org/site/wp-content/uploads/2011/11/MA003-4.1.pdf</a>

Indiana Academic Standards for Mathematics – Trigonometry  
Adopted April 2014 – Standards Resource Guide Document

	Indiana Academic Standard for Mathematics Trigonometry – Adopted April 2014	Highlighted Vocabulary Words from the Standard Defined	Specific Trigonometry Example for the Standard	Specific Trigonometry Electronic Resource for the Standard																																																																																	
MA.TR.G.6:	TR.G.6: Derive the formula $A = \frac{1}{2} ab \sin(C)$ for the area of a triangle by drawing an auxiliary line. Use the formula to find areas of triangles.		<p><math>A=42</math> degrees, <math>b = 20</math> and <math>c = 14</math>. Find area.</p>  <p>Area = <math>\frac{1}{2}bh</math></p> <p><math>\sin C = \frac{h}{a}</math> so <math>h = a \sin C</math> make the substitution for h</p> <p>Area = <math>\frac{1}{2}ab \sin C</math></p>	<p><a href="http://www.virtualnerd.com/common-core/hsf-geometry/HSG-SRT-right-triangle-similarity-trigonometry/D/9">http://www.virtualnerd.com/common-core/hsf-geometry/HSG-SRT-right-triangle-similarity-trigonometry/D/9</a></p> <p><a href="http://www.mathsisfun.com/algebra/trig-area-triangle-without-right-angle.html">http://www.mathsisfun.com/algebra/trig-area-triangle-without-right-angle.html</a></p>																																																																																	
<b>Periodic Functions</b>																																																																																					
MA.TR.PF.1:	TR.PF.1: Find a sinusoidal function to model a data set and explain the parameters of the model.	<p>Create a scatter plot of the following data using the day of the year as the independent variable and the amount of daylight as the dependent variable.</p> <table border="1" data-bbox="756 738 1081 1153"> <thead> <tr> <th>Day of Month – 2008</th> <th>Day of Year</th> <th>Amount of Daylight (min)</th> </tr> </thead> <tbody> <tr><td>January 6<sup>th</sup></td><td>6</td><td>553</td></tr> <tr><td>January 20<sup>th</sup></td><td>20</td><td>574</td></tr> <tr><td>February 3<sup>rd</sup></td><td>34</td><td>604</td></tr> <tr><td>February 17<sup>th</sup></td><td>48</td><td>640</td></tr> <tr><td>March 2<sup>nd</sup></td><td>62</td><td>678</td></tr> <tr><td>March 16<sup>th</sup></td><td>76</td><td>719</td></tr> <tr><td>March 30<sup>th</sup></td><td>90</td><td>759</td></tr> <tr><td>April 3<sup>rd</sup></td><td>104</td><td>798</td></tr> <tr><td>April 17<sup>th</sup></td><td>118</td><td>835</td></tr> <tr><td>May 1<sup>st</sup></td><td>132</td><td>869</td></tr> <tr><td>May 15<sup>th</sup></td><td>146</td><td>895</td></tr> <tr><td>June 8<sup>th</sup></td><td>160</td><td>912</td></tr> <tr><td>June 22<sup>nd</sup></td><td>174</td><td>917</td></tr> <tr><td>July 6<sup>th</sup></td><td>188</td><td>909</td></tr> <tr><td>July 20<sup>th</sup></td><td>202</td><td>890</td></tr> <tr><td>August 3<sup>rd</sup></td><td>216</td><td>861</td></tr> <tr><td>August 17<sup>th</sup></td><td>230</td><td>828</td></tr> <tr><td>August 31<sup>st</sup></td><td>244</td><td>790</td></tr> <tr><td>September 14<sup>th</sup></td><td>258</td><td>751</td></tr> <tr><td>September 28<sup>th</sup></td><td>272</td><td>711</td></tr> <tr><td>October 12<sup>th</sup></td><td>286</td><td>673</td></tr> <tr><td>October 26<sup>th</sup></td><td>300</td><td>634</td></tr> <tr><td>November 9<sup>th</sup></td><td>314</td><td>600</td></tr> <tr><td>November 23<sup>rd</sup></td><td>328</td><td>570</td></tr> <tr><td>December 7<sup>th</sup></td><td>342</td><td>551</td></tr> <tr><td>December 21<sup>st</sup></td><td>356</td><td>544</td></tr> </tbody> </table>	Day of Month – 2008	Day of Year	Amount of Daylight (min)	January 6 <sup>th</sup>	6	553	January 20 <sup>th</sup>	20	574	February 3 <sup>rd</sup>	34	604	February 17 <sup>th</sup>	48	640	March 2 <sup>nd</sup>	62	678	March 16 <sup>th</sup>	76	719	March 30 <sup>th</sup>	90	759	April 3 <sup>rd</sup>	104	798	April 17 <sup>th</sup>	118	835	May 1 <sup>st</sup>	132	869	May 15 <sup>th</sup>	146	895	June 8 <sup>th</sup>	160	912	June 22 <sup>nd</sup>	174	917	July 6 <sup>th</sup>	188	909	July 20 <sup>th</sup>	202	890	August 3 <sup>rd</sup>	216	861	August 17 <sup>th</sup>	230	828	August 31 <sup>st</sup>	244	790	September 14 <sup>th</sup>	258	751	September 28 <sup>th</sup>	272	711	October 12 <sup>th</sup>	286	673	October 26 <sup>th</sup>	300	634	November 9 <sup>th</sup>	314	600	November 23 <sup>rd</sup>	328	570	December 7 <sup>th</sup>	342	551	December 21 <sup>st</sup>	356	544	<p><b>Regressions</b></p> <p>Based on the shape of the graph, what type of regression will be appropriate? (Hint: You might want to anticipate what the data might look like for the next year or two.) Explain your decision by providing two aspects of the graph that are unique to this type of equation.</p> <p>Write your regression equation. How well does it fit the data? Explain.</p> <p>Find the Domain and Range of the regression curve.</p>	<p><a href="http://www.mathdemos.org/mathdemos/sinusoidapp/sinusoidapp.html">http://www.mathdemos.org/mathdemos/sinusoidapp/sinusoidapp.html</a></p> <p><a href="http://www.analyzemath.com/trigonometry/model_sine.html">http://www.analyzemath.com/trigonometry/model_sine.html</a></p>
Day of Month – 2008	Day of Year	Amount of Daylight (min)																																																																																			
January 6 <sup>th</sup>	6	553																																																																																			
January 20 <sup>th</sup>	20	574																																																																																			
February 3 <sup>rd</sup>	34	604																																																																																			
February 17 <sup>th</sup>	48	640																																																																																			
March 2 <sup>nd</sup>	62	678																																																																																			
March 16 <sup>th</sup>	76	719																																																																																			
March 30 <sup>th</sup>	90	759																																																																																			
April 3 <sup>rd</sup>	104	798																																																																																			
April 17 <sup>th</sup>	118	835																																																																																			
May 1 <sup>st</sup>	132	869																																																																																			
May 15 <sup>th</sup>	146	895																																																																																			
June 8 <sup>th</sup>	160	912																																																																																			
June 22 <sup>nd</sup>	174	917																																																																																			
July 6 <sup>th</sup>	188	909																																																																																			
July 20 <sup>th</sup>	202	890																																																																																			
August 3 <sup>rd</sup>	216	861																																																																																			
August 17 <sup>th</sup>	230	828																																																																																			
August 31 <sup>st</sup>	244	790																																																																																			
September 14 <sup>th</sup>	258	751																																																																																			
September 28 <sup>th</sup>	272	711																																																																																			
October 12 <sup>th</sup>	286	673																																																																																			
October 26 <sup>th</sup>	300	634																																																																																			
November 9 <sup>th</sup>	314	600																																																																																			
November 23 <sup>rd</sup>	328	570																																																																																			
December 7 <sup>th</sup>	342	551																																																																																			
December 21 <sup>st</sup>	356	544																																																																																			
MA.TR.PF.2:	TR.PF.2: Graph trigonometric functions with and without technology. Use the graphs to model and analyze periodic phenomena, stating amplitude, period, frequency, phase shift, and midline (vertical shift).		<p>The number of hours of sunlight in Indianapolis can be modeled by a sinusoidal function. On June 24th (day 175), the longest day of the year, there will be 15 hours on sunlight. On December 21st (day 355), the shortest day of the year there will be 9.5 hours of sunlight. Write an equation that could be used to predict the hours of daylight on any day of the year.</p>	<p><a href="https://www.khanacademy.org/math/trigonometry/trig-function-graphs/trig_graphs_tutorial/v/we-graph-domain-and-range-of-sine-function">https://www.khanacademy.org/math/trigonometry/trig-function-graphs/trig_graphs_tutorial/v/we-graph-domain-and-range-of-sine-function</a></p> <p><a href="http://www.themathpage.com/atrig/graphs-trig.htm">http://www.themathpage.com/atrig/graphs-trig.htm</a></p>																																																																																	

Indiana Academic Standards for Mathematics – Trigonometry  
Adopted April 2014 – Standards Resource Guide Document

	Indiana Academic Standard for Mathematics Trigonometry – Adopted April 2014	Highlighted Vocabulary Words from the Standard Defined	Specific Trigonometry Example for the Standard	Specific Trigonometry Electronic Resource for the Standard
MA.TR.PF.3:	TR.PF.3: Construct the inverse trigonometric functions of sine, cosine, and tangent by restricting the domain.		Have students graph the original trig functions, then sketch their inverses by exchanging the x and y values. Have students highlight the section of the new graph that passes a vertical line test. Identify the resulting domain and range.	<a href="http://www.calculatorsoup.com/calculators/trigonometry/graphs-inversefunctions.php">http://www.calculatorsoup.com/calculators/trigonometry/graphs-inversefunctions.php</a>
MA.TR.PF.4:	TR.PF.4: Use inverse functions to solve trigonometric equations that arise in modeling contexts; evaluate the solutions using technology, and interpret them in terms of the context.			<a href="http://www.themathpage.com/atrig/inverseTrig.htm">http://www.themathpage.com/atrig/inverseTrig.htm</a>
MA.TR.PF.5:	TR.PF.5: Prove the addition and subtraction formulas for sine, cosine, and tangent. Use the formulas to solve problems.		<a href="http://www.youtube.com/watch?v=ObaA-rYHO9o">http://www.youtube.com/watch?v=ObaA-rYHO9o</a>  <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Naturalists find that the populations of some animals varies periodically with time. The deer population in the Hoosier National forest varies according to the model, <math>D = 2000 \sin(\pi/6(m - 1)) + 14000</math>. Determine the months, <math>m</math>, in which the deer population is 12,500.</p> </div>	<a href="http://mathworld.wolfram.com/TrigonometricAdditionFormulas.html">http://mathworld.wolfram.com/TrigonometricAdditionFormulas.html</a>  <a href="http://www.cut-the-knot.org/triangle/SinCosFormula.shtml">http://www.cut-the-knot.org/triangle/SinCosFormula.shtml</a>
MA.TR.PF.6:	TR.PF.6: Prove the double- and half-angle formulas for sine, cosine, and tangent. Use the formulas to solve problems.		<a href="http://www.youtube.com/watch?v=S9XkwZ4n3b4">http://www.youtube.com/watch?v=S9XkwZ4n3b4</a>	<a href="http://home.windstream.net/okrebs/page103.html">http://home.windstream.net/okrebs/page103.html</a>  <a href="http://www.intmath.com/analytic-trigonometry/4-half-angle-formulas.php">http://www.intmath.com/analytic-trigonometry/4-half-angle-formulas.php</a>
MA.TR.PF.7:	TR.PF.7: Define and use the trigonometric ratios (sine, cosine, tangent, cotangent, secant, cosecant) in terms of angles of right triangles and the coordinates on the unit circle.		The coordinates of a point on the terminal side of an angle, theta are $(-\frac{\sqrt{3}}{2}, \frac{1}{2})$ , find the 6 trig ratios for angle theta.	<a href="https://www.khanacademy.org/math/trigonometry/unit-circle-trig-func/Trig-unit-circle/v/unit-circle-definition-of-trig-functions-1">https://www.khanacademy.org/math/trigonometry/unit-circle-trig-func/Trig-unit-circle/v/unit-circle-definition-of-trig-functions-1</a>
<b>Identities</b>				
MA.TR.ID.1:	TR.ID.1: Prove the Pythagorean identity $\sin^2(x) + \cos^2(x) = 1$ and use it to find trigonometric ratios, given $\sin(x)$ , $\cos(x)$ , or $\tan(x)$ , and the quadrant of the angle.			<a href="http://www.themathpage.com/atrig/proof.htm">http://www.themathpage.com/atrig/proof.htm</a>
MA.TR.ID.2:	TR.ID.2: Verify basic trigonometric identities and simplify expressions using these and other trigonometric identities.		Prove: $\tan x + \cot x = \sec x \csc x$	<a href="http://symbolab.com/solver/trigonometric-identity-calculator">http://symbolab.com/solver/trigonometric-identity-calculator</a>  <a href="http://www.karlsccalculus.org/trigid_examples.html">http://www.karlsccalculus.org/trigid_examples.html</a>



Indiana Academic Standards for Mathematics – Trigonometry  
Adopted April 2014 – Standards Resource Guide Document

	Indiana Academic Standard for Mathematics Trigonometry – Adopted April 2014	Highlighted Vocabulary Words from the Standard Defined	Specific Trigonometry Example for the Standard	Specific Trigonometry Electronic Resource for the Standard
<b>Polar Coordinates</b>				
MA.TR.PC.1:	TR.PC.1: Define polar coordinates and relate polar coordinates to Cartesian coordinates.		Convert polar coordinates : [ 3, 2π/3 ] to rectangular . Convert rectangular coordinates ( 4, -4) to polar.	<a href="http://www.mathsisfun.com/polar-cartesian-coordinates.html">http://www.mathsisfun.com/polar-cartesian-coordinates.html</a> <a href="http://mathinsight.org/polar_coordinates">http://mathinsight.org/polar_coordinates</a>
MA.TR.PC.2:	TR.PC.2: Translate equations from rectangular coordinates to polar coordinates and from polar coordinates to rectangular coordinates. Graph equations in the polar coordinate plane.		Convert the polar equation to rectangular form: $r = 2 \sin \theta + 3 \cos \theta$ Graph the polar equation: $r = 2 \cos 3 \theta$ Identify it by name.	<a href="http://www.mathhands.com/104/hw/104c06s03ns.pdf">http://www.mathhands.com/104/hw/104c06s03ns.pdf</a>
<b>Vectors</b>				
MA.TR.V.1:	TR.V.1: Solve problems involving velocity and other quantities that can be represented by vectors.		A baseball heading on a bearing of 140 at 150mph is facing a wind speed of 15 mph on a bearing of 250 . What is the new speed and direction of the baseball?	<a href="http://patrickjmt.com/word-problems-involving-velocity-or-other-forces-vectors-ex-1/">http://patrickjmt.com/word-problems-involving-velocity-or-other-forces-vectors-ex-1/</a> <a href="http://www.youtube.com/watch?v=MINInq4YvEY">http://www.youtube.com/watch?v=MINInq4YvEY</a>
MA.TR.V.2:	TR.V.2: Represent scalar multiplication graphically by scaling vectors and possibly reversing their direction; perform scalar multiplication component-wise, e.g., as $c(v_x, v_y) = (cv_x, cv_y)$ .		Draw vector $v = \langle -3, 4 \rangle$ Draw $2v$ Draw $-v$	<a href="http://www.cpalms.org/Public/PreviewStandard/Preview/5535?ShowRelatedResources=true#">http://www.cpalms.org/Public/PreviewStandard/Preview/5535?ShowRelatedResources=true#</a>
MA.TR.V.3:	TR.V.3: Compute the magnitude of a scalar multiple $cv$ using $\ cv\  =  c v\ $ . Compute the direction of $cv$ knowing that when $ c v \neq 0$ , the direction of $cv$ is either along $v$ (for $c > 0$ ) or against $v$ (for $c < 0$ ).		Let $v = \langle 2, 1 \rangle$ Find the magnitude, $\ v\ $ Find $\ 2v\ $ Find $2\ v\ $	<a href="http://www.shmoop.com/common-core-standards/ccss-hs-n-vm-5b.html">http://www.shmoop.com/common-core-standards/ccss-hs-n-vm-5b.html</a>